سيفتى جارد للخدمت الفنية ش.ذ.م.م
SAFETY GARD
TECHNICAL SERVICES L.L.C



QUALITY ARCHITETURAL FILM FOR COMMERCIAL AND RESDENTIAL APPLICATION

Manufactured By

MADICO® WINDOW FILM U. S. A

SAFETYSHIELD® BY MADICO

MADICO®
The Clear Choice®



COMPANY PROFILE

SAFETY GARD WINDOW FILM

Safety Gard Window Film Dubai is an authorized MADICO Window Film U.S.A Distributor and Installer in United Arab Emirates. We use MADICO Window Film products because they provide the best window protection for our customers on the market. We have proudly provided high quality window film solutions to homeowners and businesses in the United Arab Emirates

MADICO Sun Control Window Films, Safety & Security Windows Films, Decorative Window Films and Automotive Window Films for both home and commercial buildings. We have installed window film for many satisfied Home and Business owners in U.A.E No matter how small or complex, we have the resources, expertise, and experience to tackle any window film project.

Safety Gard can help you protect your home without sacrificing the benefits of natural light. As an authorized installer of MADICO window film, we offer world-class window film and tinting solutions. MADICO window films are virtually clear, providing first-rate protection without changing the look of your Home or Building.

Commercial window film is a necessity for any Business that values security and productivity. Your windows are one of the most important features of your building. Windows allow natural light to flood your office and provide wonderful views. However, sunlight brings higher energy costs, employee discomfort from hot spots, Glare on computer screens and fading of office furnishings. In addition, those views provide opportunities for break-ins and vulnerability to hurricanes.

Window Films can be used to combat a wide spectrum of glass related issues, and we supply and fit a comprehensive range. Solar films to avoid excess heat, safety window films and security films for added protection, bomb-blast film, privacy window films and frosted films to give your windows privacy, all available in a range of finishes and grades. For those looking for a stylish new look for your villa or office glazing, we also offer a number of frosted films for windows to obscure glass as well as a stunning range of designer films for your windows.

MADICO®

The Clear Choice®

Trusted Manufacturer for More Than 100 YEARS

For more than a century, Madico,Inc. has set the standard for producing world-class, high - quality film products. The company's state - of - the - art manufacturing facility and world headquarters in Tampa Bay, Florida, USA features sophisticated coating and laminating lines along with an advanced research and development center to support its growing product offerings.

Madico's business segments include window films and specialty solutions. The window film division manufactures and distributes high performance films for automotive, architectural and safety and security applications through nine company - owned distribution centers in North America as well as an extensive international distributor network. The specialty solutions division collaborates, manufactures, and delivers value-added film solutions to OEM's who use Madico film as components of their own products in a variety of industries including aerospace, healthcare, transportation, and building construction.



Popular Madico brands include the Sunscape ® premier architectural film line, SafetyShield ® safety and security films and anchoring restraint systems, Wincos ® IR and Black Pearl ® Nano - Ceramic automotive films, Protekt ® automotive paint protection, ClearPlex ® windshield protection film, and Protection Pro ® on - demand device protection.

The company's commitment to glass film innovation has earned recognition from such esteemed organizations as the Protecting People First Foundation, while Madico's dedication to responsible testing has helped it earn certifications from Underwriters Laboratories and other reputable agencies. Madico has pioneered numerous industry-first products with an unrivaled commitment to quality and dedication to its customers. Madico is a fully owned subsidiary of Lintec USA Holdings, Inc.

BENEFITS OF MADICO WINDOW FILMS

- Energy savings: Our commercial solar window films limit outdoor temperature influences, retaining heat in the winter, conserving cool air in the summer, and ultimately lowering energy bills.
- Comfort: Our films regulate temperature disparity in commercial buildings, helping customers and employees feel more comfortable.
- Fade protection: Madico commercial window films block harmful UV rays from your merchandise and furnishings, reducing the risk of fading.
- Safety: Due to their durable design, our commercial security window films keep broken glass in place, deterring unauthorized persons from breaking in.
- Style: You can give your exterior a sleek, uniform look with our visually attractive commercial decorative window films.

Associations and Membership

AIA AMERICAN SOCIETY OF INTERIOR DESIGNERS ENERGY STAR ARCAT EWFA AIMCAL APTA AMERICAN PUBLIC TRANSPORTATION ASSOCIATION UITP ADVANCING PUBLIC TRANSPORT

MADICO®
The Clear Choice®



ENERGY SAVINGS WINDOW FILM

Madico® solar control window films are a smart way to lower energy costs and reduce CO2 emissions. The films are designed to help facility owners cost - effectively conserve energy, increase building safety, enhance occupant comfort, and reduce monthly heating and cooling costs. Solar control films from Madico may also help you attain LEED credits, getting your building closer to certification.

Benefits:

Heat Reduction: blocks up to 81% of the sun's heat, saving on air conditioning costs.

Energy Savings: save costs in winter too, as the same film retains interior heat.

Rejects up to 99% of UV rays, slowing fading of furnishings and flooring.

Glass Breakage Protection: Should a window ever break window film offers protection from flying glass fragments by holding the glass together. Used in both commercial and residential applications. Manufacturer's Warranty



MADICO®
The Clear Choice®

Professionally installed window film can help reduce cooling and energy costs, improve comfort for occupants, and eliminate the need for expensive window upgrades.

Everything we do in life expends energy and contributes to our overall carbon footprint. For many of us it is a common goal and belief that we must look for ways to reduce our impact on the environment and work towards a sustainable future. It is important not only to examine how we use resources, but also how we can create new resources. The process by which window film is manufactured creates a carbon footprint much lower than that of manufactured glass. Should windows break, factory tinted glass is expensive, difficult to replace, and could ruin the desired look of the building if mismatched. Unfortunately, to match factory-tinted glass, the investor must keep a reserve inventory from the original batch of tinted glass. Window film, on the other hand, is easy to match, install, remove, or change color shades to preserve the look of the building. Window film can also provide additional solar control properties not available in factory-tinted glass.



Window film in reducing costs and promoting energy efficiency for building owners and managers. Reduced cooling costs from applying a solar controlling window film with ceramic or nano-technology.

ENERGY SAVINGS AND SOLAR CONTROL WINDOW FILM

- Solar control window film was developed to save energy. The additional benefits from film are so important that sometimes the window film specialist as well as the customer loses sight of the very significant energy cost reductions that can be achieved with the use of film.
- Solar control window film reduces the cooling load of a building by increasing the heat rejection properties of window glass.
- By reducing heat gain or heat loss you reduce the amount of work your heating and/or air-conditioning systems has to do
- The amount you will save with Madico window Film is based on the square feet of glass you protect with solar control window film. Solar control window specifically reduces heat gain at the window for each hour of the day that sunlight strikes that window. It only works on sunlight. Savings are based on three criteria, the type of film you choose (SO), the direction the window faces (orientation) and the area of the country where you live.



MADICO SOLAR CONTROL WINDOW FILM

Rejects up to 81% of the sun's heat and 95% of the Infrared Rejection. Dramatically lower Air Conditioning Costs in warmer months and reflect heat back into the Building during the winter months.





Protect Your Occupants' Health and Well-Being with Solar Control Film

Today's modern office buildings feature attractive, floor-to-ceiling windows that bring in natural sunlight and offer a portal to the outside world. Since the sun's UV rays travel through windows and can lead to skin cancers, it's important that building owners provide protection to their occupants.Madico's solar control window film blocks up to 99% of the sun's damaging UV rays, while adding energy savings, temperature control, and privacy to your building. Our commercial UV-blocking window film offers wide-ranging advantages for your school or business, ensuring that you can still bring in natural light while protecting staff members and guests from harmful rays. Madico is a trusted brand delivering highly effective products to meet the diverse needs of commercial and residential architectural buildings. We'v delivered quality solutions for a wide variety of commercial clients, helping them get the most from their buildings with protected windows. Whatever your building specifications, we can work with you to get the best UV window film solutions for your needs. At Madico, we have an extensive selection of solar control window film products that can handle different architectural applications and provide all the benefits you're looking for from a windowfilm



Nova ®

Nova architectural film offers excellent infrared absorption rates along with a neutral color. A spectrally selective film providing maximum visible light in environmentswhere darker films are not desirable.

Optivision ® Reflective

Optivision Reflective film is designed to minimize the interior reflectivity of glass providing you with a more natural view at night. Its exterior reflectivity provides privacy, cuts glare, and helps lower energy costs.



Solar Grey

Solar Grey architectural film provides a neutral tone that looks great in any decor. The film also cuts annoying glare and helps manage energy costs.

MADICO®
The Clear Choice®

MADICO SOLAR CONTROL WINDOW FILM

Rejects 99% of Ultraviolet Rays create a more comfortable Environment and reduce your energy bill by 30% with glass breakage protection.





MADICO® exterior architectural window film

Reflective Silver Exterior

Reflective Silver Exterior architectural film keeps buildings more comfortable while providing exterior reflectivity that offers privacy, cuts glare, and helps lower energy costs. Reflective Silver Exterior is commonly used in situations where an interior installation is either not possible or too risky due to laminated or triple pane glass. As an exterior film, Reflective Silver transforms the look of outdated windows by creating a sleek, uniform appearance.



Solar Grey Exterior



Solar Grey Exterior architectural film provides a neutral tone that complements any décor while cutting annoying glare and managing energy costs. Solar Grey Exterior is commonly used in situations where an nterior installation is either not possible or too risky due to laminated or triple pane glass. As an exterior film, Solar Grey transforms the look of outdated windows by creating a sleek, uniform appearance.

Solar Bronze Exterior

Solar Bronze Exterior architectural film offers the perfect combination of performance, fade protection, and visibility. Solar Bronze Exterior is commonly used in situations where an interior installation is either not possible or too risky due to laminated or triple pane glass. As an exterior film, Solar Bronze transforms the look of outdated windows by creating a sleek, uniform appearance.



MADICO®
The Clear Choice for Safety Glazing Systems

Safety & Security Films

damage prevention | security | passive protection | occupant safety | uv blocking

Protect People and Property with Madico Safety & Security Window Films

Safety and security window films from Madico help reduce the risk of personal injury, property damage and loss caused by natural disasters, burglary, vandalism and accidents. Available in a wide range of shades, styles and grades, our safety films are designed with protection in mind.

Glass shards and debris can cause severe damage to people and property while exposing your building or home's interior to water, wind and other perils. Reduce the risk with safety and security films from Madico. Safety film provides passive protection twenty-four hours a day. Madico security films are also designed to mitigate smash-and-grab theft and prevent costly, disruptive damage to your business property and merchandise.

In buildings where the government mandates tempered glass, Madico safety and security films can bring buildings up to code requirements at costs far below those of replacing existing windows.

Madico safety and security films have been extensively tested by independent testing facilities and meet safety glazing criteria as defined by CPSC, the U.S. Consumer Product Safety Commission and Underwriters Laboratories.

Benefits of Madico Safety and Security Films:

- 24/7 passive protection
- Holds broken glass together
- Available in clear, tinted and reflective styles
- Rigorously tested to meet or exceed safety glazing standards
- Helps deter smash & grab theft
- Less expensive than replacing safety glass
- Professionally installed

Common Applications:

- Retail storefronts
- Residential homes
- Office buildings
- Government buildings
- Hospitals
- Schools
- Vending machines
- Display cases
- Skylights



Founded in 1903, Madico has established itself as one of the world's foremost providers of glass films for a wide array of applications. Madico's commitment to product innovation and dedication to responsible testing has earned recognition from several esteemed industry organizations and independent testing agencies including Underwriters Laboratories.

IWFA INTERNATIONAL WINDOW FILM ASSOCIATION®

Urban Safety

SAFETYSHIELD®
BY MADICO

Protect People in Urban Spaces with SafetyShield® by Madico®

Protecting people from the dangers of broken glass in an urban setting is important for public safety. SafetyShield is an impact-resistant laminate that improves the safety of glass by holding shattered glass in place in the event of terrorism, civil unrest, or vandalism.

Security officials focus on protecting governmental buildings and hi-profile commercial properties against acts of violence. As these threats increase and extend into the public domain, we need to think about protecting the public from these potential threats. Together, we can increase the level of safety for everyone.

SafetyShield Protects People in Many Public Areas:

- Transit centers (Buses, trains and airports
- Glazed elevators and escalators
- Glass balustrades/railings
- Overhead glazing/skylights
- Retail (bank and store facades)
- Commercial and residential applications

SafetyShield Safety and Security Films:

- Retrofit solution for existing glass
- 24/7 passive, invisible protection
- Retains glass fragments
- Available in several colors and tints
- Delays forced entry
- Applied by factory-certified dealers
- Independently tested and certified to U.S. and European blast and intrusion performance ratings







Wherever there is glass....We can improve it.

MADICO®
The Clear Choice for Safety Glazing Systems

Contact us today and learn more about how SafetyShield films can protect you.

Mob: +971 52 652 3388

SAFETYSHIELD®
BY MADICO

FRAMEGARD™ ANCHORING SYSTEM

The FrameGard Anchoring System has been specifically engineered to keep treated glass within the frame when an incident has occurred. It is a "mechanical" attachment system that clamps the filmed glass to the window frame. This system improves and extends the principle of edge battening by incorporating a specific movement zone (patent applies) which allows the film to move under applied load without putting excessive force onto the fixings and frame. The benefit of FrameGard is that it allows engineers and installers to precisely determine torque settings for each individual installation, creating a truly custom solution.



Madico FrameGard secures the film tightly in place to the window frame.



Blast impact shatters external glass and drives it against the inner pane.



Madico FrameGard movement zone absorbs energy by allowing window film to stretch. Radiused edge prevents cutting of film. Gripped surface clamps film in place.

Certified Performance:

Blast Mitigation

Attachment System	GSA Performance Condition
4 Side FrameGard	2
2 Side FrameGard	2
Day Light (No Attachment)	3B

Note: 4 side FrameGard was subjected to GSA category C blast loads, 4psi -30psi/ms minimum on 1/4" annealed glass. By ABS/EQE International and Grendon Design Agency.

SafetyShield 800 with 4 side FrameGard received a GSA Category 2 when subjected to 9.19 PSI and 64.53 PSI/ms, and a Category 3B when subjected to 12.78 PSI and 78.79 PSI/ms blast loads. These loads far surpass the GSA criteria of 4 PSI and 28 PSI/ms.

For decades, Madico Window Films has been at the forefront of glass and window safety. Our systems are the most strenuously tested and designed in the industry and meet or surpass more government and international safety requirements than the competition.

We offer several patented and proprietary anchoring systems that work in conjunction with the application of our SafetyShield window films. A variety of systems are offered to ensure we meet the required level of security specified and to best fit the glazing system. Our network of certified Premier Partners will work closely with you to determine your unique risk level and to select the system that best fits your needs. To learn more, visit www.safetyshield.com.

Reported values are typical properties and should not be used as a specification. Since only the user is aware of the specific conditions in which the product is to be used, it is the user's responsibility to determine whether the product is suitable for that intended use. If the specific conditions of use are critically dependent on any of the properties of the product, or if you need further information of any sort, contact Madico or your local Madico window film dealer.

All information reported to the best of our knowledge. Independent test results available upon request.

MADICO®
The Clear Choice for Safety Glazing Systems

WHEREVER THERE IS GLASS, WE CAN *improve* IT.

MADICO®

SAFETYSHIELD®

WET GLAZE ANCHORING SYSTEM

In the event of glass breakage, the Wet Glaze Anchoring System, when combined with Madico SafetyShield window film, is designed to absorb and disburse the energy that the filmed glass is subjected to and transfer the reduced load over the entire glazed opening. By absorbing and distributing the load, the system is designed to retain the filmed glass in the opening and thus reduce the probability of glass fragments and debris from entering the room.

The Wet Glaze System is economically viable in retrofit applications and is built around a triangular sealant joint connecting the film to the supporting framing members. To achieve acceptable performance, a very high-performance sealant must be used. We recommend Dow Corning® 995 Silicone Structural Adhesive.



SafetyShield Wet Glaze attachment System in place.

To ensure maximum protection, many high performance applications designed to withstand an applied force are built around a sealant bite of ⅜ inch for wind load applications and ½ inch for blast mitigation. These specifications have proven to perform well in a wide variety of tests. Because the requirements for any application are specific to that application, it is critical to ensure that the product is installed exactly as tested by Madico. The installation of the sealant bead is also critical to performance of the Wet Glaze system. A triangular-shaped bead is required to realize the full effect of this system. Concave joints and/or film that does not reach to the edge of the daylight opening will compromise the effectiveness of this attachment method.

Certified Performance:

SafetyShield 800 with 4-sided **Wet Glaze Anchoring System** achieves a GSA level 2 performance condition and a UK PSDB Break Safe rating when tested to open range blast loads of 5.73 PSI (39kPa) and 47.33 PSI/ms (322 kPa-ms) on monolithic, annealed glass. 7.74 PSI, 42.1 PSI/ms on annealed insulated glass units.

For decades, Madico Window Films has been at the forefront of glass and window safety. Our systems are the most strenuously tested and designed in the industry and meet or surpass more government and international safety requirements than the competition.

We offer several patented and proprietary anchoring systems that work in conjunction with the application of our SafetyShield window films. A variety of systems are offered to ensure we meet the required level of security specified and to best fit the glazing system. Our network of certified SafetyShield Premier Partners will work closely with you to determine your unique risk level and to select the system that best fits your needs. To learn more, visit www.msppglobal.com.

Reported values are typical properties and should not be used as a specification. Since only the user is aware of the specific conditions in which the product is to be used, it is the user's responsibility to determine whether the product is suitable for that intended use. If the specific conditions of use are critically dependent on any of the properties of the product, or if you need further information of any sort, contact Madico or your local Madico window film dealer.

All information reported to the best of our knowledge. Independent test results available upon request.

MADICO®

The Clear Choice for Safety Glazing Systems

WHEREVER THERE IS GLASS, WE CAN *improve* IT.

SAFETYSHIELD®
BY MADICO

LIFELINE® ANCHORING SYSTEM

Based on a simple principle, "restraint," the LifeLine Anchoring System is actually one of the most effective ways to mitigate injury and reduce property damage in the event of a catastrophic blast. The LifeLine System works in conjunction with a standard application of SafetyShield film. The system's energy absorbing cords slow down and catch the filmed lite of glass, often returning it to the direction in which it came. This straight-forward system has been blast tested up to 10 psi. Due to its somewhat industrial appearance, LifeLine is primarily used in factory or manufacturing applications.

Certified Performance:

SafetyShield 800, when used in conjunction with the **LifeLine Restraint System** receives a GSA protection level of 3A and a Low Hazard rating for the UK PSDB standards when tested to open range blast loads of 9.19 PSI (62.5 kPa) and 62.57 PSI/ms (439 kPa-ms).





Above are images of the results of LifeLine testing in Canada. As the explosion progresses, you can see in (B) that the sheet of glass has been separated from the frame and is beginning to fold around the shock chords. (C) As the LifeLine cords absorb the blast energy, they effectively prevent the filmed glass from entering the building. (D) Close up of the LifeLine attachment point.

For decades, Madico Window Films has been at the forefront of glass and window safety. Our systems are the most strenuously tested and designed in the industry and meet or surpass more government and international safety requirements than the competition.

We offer several patented and proprietary anchoring systems that work in conjunction with the application of our SafetyShield window films. A variety of systems are offered to ensure we meet the required level of security specified and to best fit the glazing system. Our network of certified Premier Partners will work closely with you to determine your unique risk level and to select the system that best fits your needs. To learn more, visit www.safetyshield.com.

Reported values are typical properties and should not be used as a specification. Since only the user is aware of the specific conditions in which the product is to be used, it is the user's responsibility to determine whether the product is suitable for that intended use. If the specific conditions of use are critically dependent on any of the properties of the product, or if you need further information of any sort, contact Madico or your local Madico window film dealer.

All information reported to the best of our knowledge. Independent test results available upon request.

MADICO®
The Clear Choice for Safety Glazing Systems

WHEREVER THERE IS GLASS, WE CAN *improve* IT.

SAFETYSHIELD®
BY MADICO

GullWing® Anchoring System

In the event of glass breakage, the GullWing Anchoring System, when combined with Madico SafetyShield window film, is designed to absorb and disburse the energy that the filmed glass is subjected to and transfer the reduced load over the entire glazed opening. By absorbing and distributing the load, the system is designed to retain the filmed glass in the opening and thus reduce the probability of glass fragments and debris from entering the room.

The GullWing System utilizes a flexible membrane that is adhered to both the filmed glass as well as the window frame. Unlike a "restraint" system which is designed to impede the forward direction of the filmed glass, the GullWing System, an "attachment" system, is designed to prevent the filmed glass from leaving the opening.



SafetyShield GullWing attachment System in place.

Certified Performance:
SafetyShield 800 with 4-side **Gull Wing Anchoring System** achieves a GSA level 2 performance condition and a UK PSDB Break Safe rating when tested to open range blast loads of 5.73 PSI (39kPa) and 47.33 PSI/ms (322 kPa-ms)

The GullWing Anchoring System is offered in three different profile sizes in order to accommodate various window frame configurations. The system is also available in three standard colors; black, grey and white and custom colors upon request.

GullWing System Profile Size:	Overall Width:	Wing Width:
Small - 1"	1" (26 mm)	0.47" (12 mm)
Medium - 1½"	1½" (39 mm)	0.47" (12 mm) and 0.59" (15 mm)
Large - 2¼"	2¼" (57 mm)	0.63" (16 mm)

For decades, Madico Window Films has been at the forefront of glass and window safety. Our systems are the most strenuously tested and designed in the industry and meet or surpass more government and international safety requirements than the competition.

We offer several patented and proprietary anchoring systems that work in conjunction with the application of our SafetyShield window films. A variety of systems are offered to ensure we meet the required level of security specified and to best fit the glazing system. Our network of certified Premier Partners will work closely with you to determine your unique risk level and to select the system that best fits your needs. To learn more, visit www.msppglobal.com.

Reported values are typical properties and should not be used as a specification. Since only the user is aware of the specific conditions in which the product is to be used, it is the user's responsibility to determine whether the product is suitable for that intended use. If the specific conditions of use are critically dependent on any of the properties of the product, or if you need further information of any sort, contact Madico or your local Madico window film dealer.

All information reported to the best of our knowledge. Independent test results available upon request.

MADICO®
The Clear Choice for Safety Glazing Systems

Customize, Enhance, and Privatize Glass Interiors with Decorative Window Film

Black Out

Black Out by Madico blocks 100% of light transmission and can be used to create privacy or for decorative applications in office buildings, restaurants, or retail environments.





Decolite ®

Decolite decorative films enhance the look of glass interiors and achieve the distinct look of etched glass at a fraction of the cost.

Frost Matte

Frost Matte by Madico decorative film can be used to increase privacy or for decorative design applications. Its translucent appearance mimics etched glass for a fraction of the cost and is removable.



MADICO®
The Clear Choice®

Printables Series

Printables can make glass come alive with color, patterns, and eye-catching graphics. Printables are optically clear, allowing any design or image to be printed onto the film, which is available in two different adhesive types. Graphics look great from both sides of the glass. Custom film printing is a great alternative to stock designs and can be used for interior decorating and privacy.





View Control Series

View Control decorative films offer a variety of decorative, privacy solutions.

White Out

White Out by Madico decorative film is the perfect way to create privacy or separation in a space.



MADICO®
The Clear Choice®

Madico ® Automotive Window Films

Madico® automotive films offer the perfect combination of style and performance to meet the needs of every driver, offering protection from the sun, flying debris, and road hazards.



WINCOS ®

Premium cars require matching performance from their window tint. WINCOS, a nano-ceramic IR automotive film, combines beauty with sound scientific research for the ultimate in window film style and performance.



GP Max

GP Max is a metallized, dyed film that features an attractive neutral color. Its affordability makes it a popular film option among budget-conscious vehicle owners who want good heat rejection.



Black Pearl Nano-Ceramic is an IR film that offers advanced heat rejection technology through its nano-particle ceramic construction.



Onyx automotive tint is a popular choice amongst those who desire a classic look along with high performance.



Charcool automotive tint is a state-of-the-art extruded film with high color stability.

Protect your windshield from road hazards

Driving on today's roads can be hazardous—especially to your windshield. From small rocks to road debris, unwanted objects that strike your glass can lead to serious, costly damages and driving distractions.

Now you can safeguard your vehicles and investment with ClearPlex® Windshield Protection Film. ClearPlex is the world's first optically-clear protection film for vehicle windshields. Made and distributed by Madico,® it absorbs the impact of standard road hazards, significantly reducing the occurrence of rock chips, stars, pitting, and bull's-eyes—leaving the glass in pristine condition.

In addition, ClearPlex is guaranteed not to peel, bubble, crack, or yellow for the warrantied life of the film. ClearPlex windshield protection film is ideal for luxury and classic cars, vehicles equipped with ADAS windshield technology, fleets, recreational vehicles and construction equipment. It's a whole new vision in windshield protection.

Clear peace of mind

Windshields contribute to a vehicle's structural integrity during a front-end collision and rollover. ClearPlex film can help keep a windshield intact during an accident and prevent the vehicle's roof from collapsing in a rollover. An intact windshield can also help to keep passengers inside the car. Helping preserve windshields in an accident protects the vehicle's occupants as well as the vehicle itself.

Do you have a windshield with ADAS (Advanced Driver Assistance Systems)? These high-tech windshields can be very expensive to replace if broken and may require re-calibration with your car's computer systems. The average replacement cost of a ADAS equipped windshield is $1500.* Help prevent costly repairs and lost time by protecting your windshield with Clearplex!



MADICO®
The Clear Choice®



How to maintain ClearPlex Film

The use of an automotive protective wax such as Turtle Wax, NuFinish, RejeX or Meguiar's Wax is an essential part of the maintenance program for ClearPlex windshield protection film. The wax will maintain the scratch resistance and water repellency of the ClearPlex film when it is used as directed. The wax also seals the ClearPlex film against bird droppings, bugs, oil, tar, grease, dirt and grime. The installer will apply an initial amount of the wax at the time the film is installed on the windshield. The vehicle owner should continue to apply wax to the windshield every month during the life of the ClearPlex film.

MADICO®
The Clear Choice®



Impact & Scratch Resistant

Whatever the road dishes out, ClearPlex was designed to take it—even up to 120 mph. With the industry's only patented, advanced, high-performance scratch resistant hard coat with qualities similar to glass, ClearPlex provides protection against scratches and abrasions including those from your vehicle's windshield wipers.

Protects Interiors & Occupants

ClearPlex film protects a vehicle's interior and its occupants against 99.9% of the sun's harmful UV rays. So, you'll stay cooler and enjoy more protection.

A Clear Choice

ClearPlex offers faster run-off of rain and snow resulting in better visibility. It's optically clear so it won't impair your vision and seamlessly integrates with your windshield. The film is thermally fitted to every curve of the windshield, forming a bond with the glass that ensures optical clarity. You will not see it, but you'll feel better knowing it's there.

PORSCHE pca CLUB OF AMERICA

IWFA INTERNATIONAL WINDOW FILM ASSOCIATION

SEMA SPECIALTY EQUIPMENT MARKET ASSOCIATION
Serving the Motor Vehicle Aftermarket
MEMBER

MADICO® The Clear Choice®


The Clear Choice
for Windshield
Protection
MADICO®
The Clear Choice®

MADICO®

The Clear Choice®

ISO 9001 : 2015 & NFRC Certified Products.
Made in U.S.A.



MADICO® Authorized Distributor & Installer in U.A.E

سيفتى جارد للخدمت الفنية ش.ذ.م.م
SAFETY GARD
TECHNICAL SERVICES L.L.C

CONTACT US : **Tel : +971 4 2686699, Mob : +971 52 652 3388**
novel@safetygarduae.com, info@safetygarduae.com

Office No - 2, Al Qusais 1, Near Emirates NBD Bank, Dubai, UAE | www.safetygarddubai.com | www.safetygarduae.com